



LEMAITRE SECURITE SAS
17 rue Bitschhoffen
CS 90024
F 67350 La Walck FRANCE
Tél. : +33 (0)3 88 72 28 80
Fax : +33 (0)3 88 07 05 37
www.lemaitre-securite.com
contact@lemaitre-securite.com



TECHNICAL DATA SHEET

Update of the document: 10/05/2015
ISO reference of this document : DON/LS 03.4140.A



SPEEDSTER HIGH O2 CI SRC High shoe in water-repellent full grain leather

PROTECTIONS FOR THIS MODEL



Sizes available from 35 (2) to 48 (13)
Weight of one pair in size 42 (8) : about 1000 gr.
Norm EN ISO 20347: 2012

Upper features

- Upper : water-repellent full grain leather
- Tongue : water-repellent full grain leather
- Lining : Cambrelle®
- Vamp lining : synthetic
- Back part : synderm
- Closing : laces
- Laces : polyamide
- Tongue marking : size, manufacturer, manufacture date (month, year), norm, protection, CE marking.

Protections

Fitting features

- Natur'form (large)
- Lasting : California
- Lasting insole : textile
- Long sock : foam and textile

Sole features

- Name : SPORTY
- Material : dual density polyurethane
- Comfort sole density : 0,5
- Comfort sole color : dark grey
- Outsole density : 1
- Outsole color : black
- Slip resistance SRA (flat) : 0,46 ; (heel) : 0,43
- Slip resistance SRB (flat) : 0,26 ; (heel) : 0,20

Basics and additional requirements of the norm EN ISO 20345 : 2011

Steel toecap Polycarbonate toecap Aluminum toecap (200 joules)

Stainless steel composite (high tenacity fabric)

A A Antistatic footwear.

CI CI Cold insulation of sole complex.

E E Energy absorption of seat region.

Fo FO Resistance of the outsole to fuel oil.

Hi HI Heat insulation of sole complex.

Hro HRO Resistance of the outsole to hot contact.

M M Metatarsal protection.

P P Penetration resistance

Wru WRU Water penetration and water absorption resistant upper.

Wr WR Water resistant footwear.



Regarding the norm EN ISO 20345, the minimum results for slip resistance to get the SRC certificate are :
SRA (flat) = 0,32
SRA (heel) = 0,28
SRB (flat) = 0,18
SRB (heel) = 0,13

Advantages = End users benefits

- **Water-repellent full grain leather (2,0-2,2mm thickness leather)** for better resistance (to abrasion, tearing, perforation) and longer durability.
- **Cambrelle® lining**, offers greater comfort and hygiene. 100% polyamide, this material is breathable, transferring humidity from the skin to the outside. It is also highly resistant to abrasion.

SPORTY sole

- **Heel shock absorber and very thick sole at the heel for better comfort**
- **Non-slip structure** with a studded open for better drainage of fluids
- **Attack heel**, for a natural unfolding of the foot during walking and comfort while driving vehicle
- **Sportive design**
- **Sporty shape : injection of the PU sole under the foot, enables :**
 - ✓ Higher breathability of the foot
 - ✓ Adaptation of the leather to the shape of the foot
 - ✓ Flexibility of the sole
- **Cold insulation**
- **Dual density polyurethane (PU2D) injected**
- **Reinforcements of the PU sole at the front and the back of the shoe** for a better protection of the leather and the shoe

PARABOLIC® sole :

- **Exceptional grip** : the concave structure of the sole allows progressive bending of the sole in order to optimize grip.
- **Comfort when walking** : the spring effect gives a more dynamic walk and facilitates walking.
- **Anti-fatigue** : with every step, the recycled energy gives you a spring in your step and provides anti-fatigue effect to your legs.