

ATLANTIS S1P HIGH GREY



STANDARD EN ISO 20345 : 2011



LEMAITRE

Safety since 1974



PRODUCT SPOT

0% metal. Suitable for environments equipped with metal detectors (warehouses, ...).

Sizes 35 to 48

Reference code: ATLNS1PGR

Product Highlights



- **Upper in abrasion-resistant textile and suede leather with microporous 3D textile lining:** breathability of the foot, ventilation inside the shoe



- **Insole with a shock absorbing heel pad:** reduced impact and fatigue, MSDs prevention

- **Bellows Tongue:** to limit infiltration of dust and stones

- **Interlocking heel and padded collar:** reinforced stability, foot support



- **Protective toe-cap :** polycarbonate



- **Puncture-resistant midsole:** high tenacity fabric "0" penetration



Anti-static sole C07 PU2D

- **Wide and comfortable fitting**
- **Versatility:** efficient studs on industrial floors and outdoor surfaces
- **Extended contact surface and raised heel 10 mm:** self-cleaning and multi-functional sole offering an excellent stability
- **Rounded heel strike:** for a natural course of the foot

USAGE

- Indoor & Outdoor use: excellent versatility



**FRENCH
TRADEMARK**

lemaitre-securite.com

An exacting attitude to quality is our culture, safety our priority



ATLANTIS S1P HIGH GREY



STANDARD EN ISO 20345 : 2011

VARIANT



Abis S1P SRC
ABINS1PGR

Characteristics of the upper

- **Upper material:** split leather with suede finish and abrasion resistant textile
- **Bellows tongue:** abrasion-resistant textile
- **Lining:** 3D microporous fabric

Characteristics of the sole

- **Designation :** C07
- **Material :** polyurethane / polyurethane
- **Antistatic sole**
- **SRA Adhesion coefficient :**
forward flat slip: 0,40 (standard $\geq 0,32$)
forward heel slip: 0,40 (standard $\geq 0,28$)
- **SRB Adhesion coefficient :**
forward flat slip: 0,19 (standard $\geq 0,18$)
forward heel slip: 0,17 (standard $\geq 0,13$)

Practical information

Weight of one shoe size 42 : 670 g

Packaging

sizes 35 to 44

shoebox 315 x 220 x 125 mm

carton 635 x 445 x 325 mm

10 shoeboxes per carton

sizes 45 to 48

shoebox 355 x 220 x 130 mm

carton 660 x 450 x 360 mm

10 shoeboxes per carton

Gencods

35 3237154162354

36 3237154162361

37 3237154162378

38 3237154162385

39 3237154162392

40 3237154162408

41 3237154162415

42 3237154162422

43 3237154162439

44 3237154162446

45 3237154162453

46 3237154162460

47 3237154162477

48 3237154162484

Memo for basic and additional requirements of the standard EN ISO 20345: 2011

Safety Footwear

SBP



S1



S1P



S2



S3



200 J toe-cap: protection of the forefoot against impact and crushing



Anti-perforation insert 1100 N: foot protection against perforation



Anti-static footwear



Shock absorption at the heel



Fuel oil-resistant outsole



Water penetration and water absorption resistant upper



Electrostatic discharge



Insulation against cold



Insulation against heat



Outsole resistance to hot contact



Water resistant



Ankle protection



Slip-resistance on ceramic floors with detergent



Slip-resistance on steel floors with glycerol



$SRC = SRA + SRB$

Lemaitre Sécurité
17 rue de Bitschhoffen - CS 90024
F - 67350 Val de Moder
Tél. +33 (0)3 88 72 28 80

lemaitre-securite.com



LEMAITRE
Safety since 1974

DON_LS 04 TDS 0009
Update : 17/02/20

Member of
SINAMAP

